



JamesHardie™

Fixing Matrix

 **Paslode®**

Hardie Secura™ Flooring

TOOLS



Paslode CoilMaster™
B50001



**Paslode Impulse
FrameMaster™-Li**
B20580



**Paslode
FrameMaster
NightWolf**
NW580

NAIL SOLUTIONS



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.87mm
CladFast Hot Dip
Galvanised Ring B20548



Paslode Impulse
50 x 2.87mm
DekFast Hot Dip
Galvanised Ring
B20557 B20561V
or NW557

Please refer to the relevant James Hardie product Installation Guide

Matrix™ Cladding: Cavity Trim to Frame

TOOLS



**Paslode Impulse
FrameMaster™-Li**
B20580



**Paslode
FrameMaster
NightWolf**
NW580

NAIL SOLUTIONS



Paslode Impulse
65 x 2.87mm
DekFast Hot Dip
Galvanised Ring
B20558 B20562V



Paslode Impulse
75 x 3.06mm
Hot Dip
Galvanised D Head
B20569V



Paslode NightWolf
75 x 3.06mm
Hot Dip
Galvanised D Head
NW554 / NW569V

Matrix™ Cladding: Panel to Cavity Trim

TOOLS



Paslode CoilMaster™
B50001

NAIL SOLUTIONS



Paslode Impulse
32 x 2.7mm
Hot Dip Galvanised
0° Coil Nail
B40027



**Paslode Straight
TrimMaster™**
B20711/B20710



Paslode Impulse
25 x 1.6mm
C Series Brad
Stainless Steel
B22650

Note - When using the Straight Trim tool for short C25 SS brads the **short brad guide** must be installed in the tool.

Suitable only in N1, N2, N3 & C1 wind conditions.

Please refer to the relevant James Hardie product Installation Guide

Stria™ Cladding Range



TOOLS



Paslode CoilMaster™
B50001



Paslode Straight TrimMaster™
B20711/B20710



Paslode Impulse FrameMaster™-Li
B20580



Paslode FrameMaster NightWolf
NW580

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665

Note - When using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.



Paslode Impulse
50 x 2.87mm
CladFast Hot Dip
Galvanised Ring B20548



Paslode Impulse
50 x 2.87mm
DekFast Hot Dip Galvanised Ring
B20557 B20561V



Paslode Impulse
50 x 2.87mm
DekFast Hot Dip Galvanised Ring
NW557

Axon™ Cladding

TOOLS



Paslode CoilMaster™
B50001



Paslode Straight TrimMaster™
B20711/B20710

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665



Paslode Impulse
25 x 1.6mm
C Series Brad Stainless Steel
B22650

Note - When using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.

Suitable only in N1, N2, N3 & C1 wind conditions.

Please refer to the relevant James Hardie product Installation Guide

Linea[™] Weatherboard

TOOLS



Paslode CoilMaster™
B50001



**Paslode Impulse
FrameMaster™-Li**
B20580



**Paslode
FrameMaster
NightWolf**
NW580

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.87mm
CladFast Hot Dip
Galvanised Ring B20548



Paslode Impulse
50 x 2.87mm
DekFast Hot Dip
Galvanised Ring
B20557 B20561V



Paslode NightWolf
50 x 2.87mm
DekFast Hot Dip
Galvanised Ring
NW557

Hardie™ Axent™ Trim 19mm

TOOLS



Paslode CoilMaster™
B50001



Paslode Straight TrimMaster™
B20711/B20710



Paslode Impulse FrameMaster™-Li
B20580



Paslode FrameMaster NightWolf
NW580

NAIL SOLUTIONS



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665

Note - when using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.



Paslode Impulse
50 x 2.87mm
CladFast Hot Dip
Galvanised Ring B20548



Paslode Impulse
50 x 2.87mm
DekFast Hot Dip Galvanised Ring
B20557 B20561V



Paslode NightWolf
50 x 2.87mm
DekFast Hot Dip Galvanised Ring
NW557

Hardie™ Fine Texture Cladding

TOOLS



Paslode CoilMaster™
B50001



Paslode Straight TrimMaster™
B20711/B20710

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665



Paslode Impulse
25 x 1.6mm
C Series Brad Stainless Steel
B22650

Note - when using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.

Please refer to the relevant James Hardie product Installation Guide

Hardie[™] Brushed Concrete Cladding

TOOLS



Paslode CoilMaster™
B50001



Paslode Straight TrimMaster™
B20711/B20710

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665



Paslode Impulse
25 x 1.6mm
C Series Brad Stainless Steel
B22650

Note - When using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.

Please refer to the relevant James Hardie product Installation Guide

Hardie ObliqueTM Cladding

TOOLS



Paslode CoilMaster™
B50001



Paslode Straight TrimMaster™
B20711/B20710



Paslode Impulse FrameMaster™-Li
B20580



Paslode FrameMaster NightWolf
NW580

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665

Note - when using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.



Paslode Impulse
50 x 2.87mm
DekFast Hot Dip Galvanised Ring
B20557 B20561V



Paslode NightWolf
50 x 2.87mm
DekFast Hot Dip Galvanised Ring
NW557

Primeline™ Weatherboard

TOOLS



Paslode CoilMaster™
B50001



**Paslode Impulse
FrameMaster™-Li**
B20580



**Paslode
FrameMaster™
NightWolf**
NW580

NAIL SOLUTIONS



**Paslode Impulse
45 x 2.5mm**
Hot Dip Galvanised Ring 0°
Coil Nail B40021



**Paslode Impulse
50 x 2.5mm**
Hot Dip Galvanised Ring 0°
Coil Nail B40022



**Paslode Impulse
50 x 2.5mm**
Stainless Steel Ring 0°
Coil Nail B40024



**Paslode Impulse
50 x 2.87mm**
CladFast Hot Dip
Galvanised Ring B20548



**Paslode Impulse
50 x 2.87mm**
DekFast Hot Dip
Galvanised Ring
B20557 B20561V



**Paslode Impulse
65 x 2.87mm**
DekFast Hot Dip
Galvanised Ring
B20558 B20562V



**Paslode NightWolf
50 x 2.87mm**
DekFast Hot Dip
Galvanised Ring
NW557

HardieTM Plank Weatherboard

TOOLS



Paslode CoilMaster™
B50001



**Paslode Impulse
FrameMaster™-Li**
B20580



**Paslode
FrameMaster
NightWolf**
NW580

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.87mm
CladFast Hot Dip
Galvanised Ring B20548



Paslode Impulse
50 x 2.87mm
DekFast Hot Dip
Galvanised Ring
B20557 B20561V



Paslode NightWolf
50 x 2.87mm
DekFast Hot Dip
Galvanised Ring
NW557

Hardie Flex SheetTM (4.5mm & 6mm)

TOOLS



Paslode CoilMaster™
B50001



**Paslode Impulse
FrameMaster™-Li**
B20580



**Paslode
FrameMaster
NightWolf**
NW580

NAIL SOLUTIONS



**Paslode Impulse
32 x 2.7mm**
Hot Dip Galvanised
0° Coil Nail B40027



**Paslode Impulse
45 x 2.5mm**
Hot Dip Galvanised Ring 0°
Coil Nail B40021



**Paslode Impulse
50 x 2.5mm**
Hot Dip Galvanised Ring 0°
Coil Nail B40022



**Paslode Impulse
50 x 2.5mm**
Stainless Steel Ring 0°
Coil Nail B40024



**Paslode Impulse
50 x 2.87mm**
CladFast Hot Dip
Galvanised Ring B20548



**Paslode Impulse
50 x 2.87mm**
DekFast Hot Dip
Galvanised Ring
B20557 B20561V



**Paslode NightWolf
50 x 2.87mm**
DekFast Hot Dip
Galvanised Ring
NW557

HardieTM Tex Base Sheet (Blue Board)

TOOLS



Paslode CoilMaster™
B50001



**Paslode Impulse
FrameMaster™-Li**
B20580



**Paslode
FrameMaster
NightWolf**
NW580

NAIL SOLUTIONS



**Paslode Impulse
32 x 2.7mm**
Hot Dip Galvanised
0° Coil Nail B40027



**Paslode Impulse
45 x 2.5mm**
Hot Dip Galvanised Ring 0°
Coil Nail B40021



**Paslode Impulse
50 x 2.5mm**
Hot Dip Galvanised Ring 0°
Coil Nail B40022



**Paslode Impulse
50 x 2.5mm**
Stainless Steel Ring 0°
Coil Nail B40024



**Paslode Impulse
50 x 2.87mm**
CladFast Hot Dip
Galvanised Ring B20548



**Paslode Impulse
50 x 2.87mm**
DekFast Hot Dip
Galvanised Ring
B20557 B20561V



**Paslode NightWolf
50 x 2.87mm**
DekFast Hot Dip
Galvanised Ring
NW557

Hardie™ Ceramic Tile Underlay

TOOLS



Paslode CoilMaster™
B50001

NAIL SOLUTIONS



Paslode Impulse
27 x 2.5mm
Hot Dip Galvanised Ring
0° Coil Nail B40025



Paslode Impulse
32 x 2.7mm
Hot Dip Galvanised Ring
0° Coil Nail B40027

EasyLapTM Panel (Cavity Fix)

TOOLS



**Paslode Impulse
FrameMaster™-Li
B20580**



**Paslode
FrameMaster
NightWolf
NW580**



**Paslode Straight
TrimMaster™
B20711/B20710**

NAIL SOLUTIONS



**Paslode Impulse
65 x 2.87mm
DekFast Hot Dip
Galvanised Ring
B20558 B20562V**



**Paslode Impulse
75 x 3.06mm
Hot Dip
Galvanised D Head
B20569V**



**Paslode NightWolf
75 x 3.06mm
Hot Dip
Galvanised D Head
NW554 / NW569V**



**Paslode Impulse
25 x 1.6mm
C Series Brad Stainless Steel
B22650**

Note - When using the Straight Trim tool for short C25 SS brads the **short brad guide** must be installed in the tool.

Please refer to the relevant James Hardie product Installation Guide

EasyLap™ Panel

TOOLS



Paslode CoilMaster™
B50001



Paslode Straight TrimMaster™
B20711/B20710

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Impulse
50 x 2.5mm
Stainless Steel Ring 0°
Coil Nail B40024



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665



Paslode Impulse
25 x 1.6mm
C Series Brad
Stainless Steel
B22650

Note - When using the Straight Trim tool for short C25 SS brads the **short brad guide** must be installed in the tool.

Note - When using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.

Please refer to the relevant James Hardie product Installation Guide

Villaboard™ Lining

Villaboard®
LINING

TOOLS



Paslode CoilMaster™
B50001

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring
0° Coil Nail B40021



Paslode Impulse
27 x 2.5mm
Hot Dip Galvanised Ring
0° Coil Nail B40025



Paslode Impulse
32 x 2.7mm
Hot Dip Galvanised Ring
0° Coil Nail B40027

Versilux™ Lining

TOOLS



Paslode CoilMaster™
B50001

NAIL SOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring
0° Coil Nail B40021



Paslode Impulse
27 x 2.5mm
Hot Dip Galvanised Ring
0° Coil Nail B40025



Paslode Impulse
32 x 2.7mm
Hot Dip Galvanised Ring
0° Coil Nail B40027

HardieTM Flex Eaves Lining

TOOLS



Paslode CoilMaster™
B50001

NAIL SOLUTIONS



Paslode Impulse
27 x 2.5mm
Hot Dip Galvanised Ring
0° Coil Nail B40025

HardieTM GravisTM Panel

TOOLS



Paslode CoilMaster™
B50001

NAIL SOLUTIONS



Paslode Impulse
27 x 2.5mm
Hot Dip Galvanised Ring
0° Coil Nail B40025

Stria™ Cladding Fine Texture

TOOLS



Paslode CoilMaster™
B50001

NAILSOLUTIONS



Paslode Impulse
45 x 2.5mm
Hot Dip Galvanised Ring
Coil nail B40021



Paslode Impulse
50 x 2.5mm
Hot Dip Galvanised Ring 0°
Coil Nail B40022



Paslode Straight
TrimMaster™
B20711/B20710



Paslode Impulse
50 x 2.0mm
ND Brad Stainless Steel
B22665

Note - When using the Straight Trim tool for short C25 SS brads the **short brad guide** must be installed in the tool.

Note - When using the Straight Trim tool for ND brads the silver "ND" top plate must be swapped out and used.

Please refer to the relevant James Hardie product Installation Guide

